



ASCOJET 1208

The ASCOJET 1208 features a modern frame design and is highly user-friendly. This powerful blasting machine is very easy to operate and is particularly well-suited for space-saving use in various industrial sectors.

When combined with the optional equipment for the plastics industry, the range of applications is specifically expanded. Specially developed accessories enable precise and reliable processing—whether for components, tools, or molds.

Art.-Nr. 900961




Benefits:

- Powerful & Gentle
- Environmentally friendly
- Cost savings
- Time saving
- Safe use

Powerful and handy blasting gun:

Thanks to the **quick coupling**, the blast gun can be mounted very easily on the blasting machine.

Increased security thanks to the **locking pin**, which makes a sudden opening of the locking mechanism of the nozzle impossible.



The **ergonomic gun handle** ensures very easy handling and comfortable operation when blasting over longer periods. The ergonomic safety bar is ideal for both right- and left-handed users.

A **quick exchange system** allows nozzles to be changed within seconds without any tools.

The **trigger lock** provides additional protection to prevent accidental activation of the trigger mechanism.

Specifications:

Material:	Frame and cover sheets made of powder-coated steel
Dimensions (LxWxH) incl. wheels & folded handle:	635 x 491 x 872-1'220mm (25x20x35-48in) (Handle height is adjustable)
Weight empty:	approx. 62kg (136lb)
Content of pellet hopper:	approx. 9kg (20lb)
Blasting pressure:	0-10bar (0-145psi) (stepless adjustable)
Dry ice consumption:	20-40kg/h (44-88lb/h) (stepless adjustable)
Voltage:	120V, 60Hz, 1Ph
Max. power consumption:	500W (0.7HP) nominal
Inlet hose connection:	3/4" BSP female 3/4" Claw coupling fitted

ASCOJET 1208: Features



Powerful and handy blast gun with quick coupling



Easy and convenient to maneuver



Quick coupling on the blast hose




Lightweight and compact



Integrated hose suspension



Height-adjustable handle for easy handling



Integrated grounding wire for more safety



Insulated dry ice container with a capacity of 9 kg



Control panel for easy overview

ASCOJET 1208: Standard scope of supply

Pos. 001

Blasting gun OHS6

- Standard for the ASCOJET 1208
- Length: 26 cm (10.2 in)
- Weight: 1.0kg (2.2 lb)
- Blasting pressure: 0 -10 bar (0 -145 psi)
- (Blasting gun OHS6 V2016 without nozzle part no. 4064771)

including the corresponding blasting nozzle

High performance barrel nozzle 707.15/12

- Standard for the blasting gun OHS
- Powerful nozzle with low air consumption
- Outlet opening: approx. Ø 12 mm (0.5in)
- Length: 15 cm (6in)
- Inner diameter: 7 mm (0.3in)



Art.-Nr. 4063745

OHS



Art.-Nr. 4047321

Hose assembly 5m for OHS gun ID16mm (197in ID 0.6in)

Art.-Nr. 4047104

Pos. 002

Standard for the ASCOJET1208, can also be used as an extension of the hose assembly incl. control cable, grounded

OHS



Claw coupling with 19mm (3/4 ") male thread

Art.-Nr.4045949

Pos. 003

For fast connection and disconnection of the air line to the blasting equipment
Already mounted on the unit.



Power cable 10 m (32 in)

Art.-Nr. 4053647

ASCO 1208: Basic accessories

Tool case ASCOJET 1208 empty

Art.-Nr. 4064570

Pos. 001

Empty nozzle case with matching insert



Barrel nozzle 707.09/10

Art.-Nr. 4047228

Pos. 003

Thanks to an inner diameter of only 7mm (0.3 in) the barrel nozzle has a very economical air consumption but is nevertheless powerful

OHS
OHP



- Outlet opening: approx. \varnothing 10mm (0.4in)
- Length: 9cm (3.5 in)
- Inner diameter: 7mm (0.3in)

Flat nozzle 709.23/45

Art.-Nr. 4047216

Pos. 003

Powerful nozzle suitable for blasting large areas

- Outlet opening: approx. 45x3.5mm (1.77x0.14 in)
- Length: 23cm (9in)
- Inner diameter: 9 mm (0.4in)

OHS
OHP



Angled nozzle 708.25/10/75°

Art.-Nr. 4047223

Pos. 006

A powerful nozzle for confined spaces with very low air consumption

- Outlet opening: approx. Ø10 mm (0.4in)
- Length: 25 cm (10 in)
- Inner diameter: 8mm (0.3in)

OHS
OHP



Lighting kit for dry ice blasting gun

Art.-Nr. 4064129

Pos. 007

- Compact torch
- LED light 160 lumen, 160cm (63in)
- Up to 25 hours battery life (3 x 1.5V AAA)
- Batteries not included in scope of supply
- Length: 10.6cm (4.2in)
- Weight: 120g (0.4lb)

OHS
OHP
HP



Compressed air hose 7.5m (24.6ft) / ID 25mm (1in)

Art.-Nr. 4045955

Pos. 006

Connecting hose between air compressor and dry ice blasting machine, incl. claw coupling and safety ring for fast and easy connection / disconnection

- Material: Fabric hose / metal
- Dimension: 7.5m (24.6ft)
- Weight: 2.4 kg (5.3 lb)



Protective hood for ASCOJET 1208

Art.-Nr. 4064528

Pos. 004

The newly developed hood for our blasting equipment protects the control elements from contamination. The transparent cover can be opened for easy view on and access to the operation elements. For cleaning the hood can easily be taken of



Protective sleeve for one hose system 165mm (6.5in)

Art.-Nr. 4047265

Pos. 003

To protect the control cable and blasting hose from dirt and damages

Available in meters

OHS
OHP



ASCOJET 1208: Specialized accessories for the plastics industry

Blasting Gun OHSK

Art.-Nr. 4047128

Pos. 001

Blasting Gun OHSK
Basis OHS6

OHSK



Round Nozzle 704.09/08/K
Art.-Nr. 4064141

Pos. 002

Plastic round nozzle for OHSK



OHSK

Angled Nozzle 705.16/08/90°K
Art.-Nr. 4047098

Pos. 003

Plastic angle nozzle for OHSK



OHSK

HP Round Nozzle 705.09/08.K
Art.-Nr. 4047089

Pos. 004

High-performance plastic round
nozzle for OHSK



OHSK

Compressed Air Hose & Claw Coupling
Art.-Nr. 4047095

Pos. 005

7.5 m compressed air hose, 10 mm ID,
with claw coupling and
plug-in nipple



Blasting Gun OHC

Art.-Nr. 4063744

Pos. 001

Blasting Gun OHC

OHC



Round Nozzle 807.09/09/K
Art.-Nr. 4047120

Pos. 002

Plastic round nozzle for OHC



OHC

Flat Nozzle 807.14/30/K
Art.-Nr. 4047119

Pos. 003

Plastic flat nozzle for OHC



OHC

Angled Nozzle 807.16/10/90°K
Art.-Nr. 4047110

Pos. 004

Plastic angle nozzle for OHC



OHC

Compressed Air Hose & Claw Coupling
Art.-Nr. 4047095

Pos. 005

7.5 m compressed air hose, 10 mm ID,
with claw coupling and
plug-in nipple



ASCOJET 1208: Options

Spare Parts Package ASCOJET 1208

Art.-Nr. 4064527

Pos. 005

Includes a recommended selection of spare parts to ensure constant operation.



sample image

Nozzle extension 700.150 OHP/OHS

Art.-Nr. 4046018

Pos. 007

Modular nozzle extension for OHS and OHP dry ice blasting guns with a total length of up to 1.5m (59 in) with nozzle

- Length 1: 455mm (18 in) without nozzle
- Length 2: 580mm (23 in) without nozzle
- Length 3: 835mm (33 in) without nozzle
- Length 4: 960mm (38 in) without nozzle
- Length 5: 1340mm (53 in) without nozzle

- Weight in full length: 1.50kg (3.3 lb)
- Inner diameter: 10mm (0.4 in)
- Material: aluminium

OHS
OHP



Nozzle extension 700.62 OHP/OHS

Art.-Nr. 4063373

Pos. 008

Modular for nozzle extension for OHS and OHP dry ice blasting guns with a length of 668mm (26.3 in)

- Weight: 0.6kg (1.3 lb)
- Inner diameter: 10mm (0.4 in)
- Material: aluminium

OHS
OHP



Pellet Cutter OHS

Art.-Nr. 4047026

Pos. 002

For sensitive blasting applications
With safety quick connect coupling, 2.5 m (8.2ft) hose and control cable, grounded

OHS

